

PRODUCT ID	DESCRIPTION	LIST PRICE(EUR)
Compatible Parts List For Model:WT6000 : Cables		
CBL-NGWT-USBCHG-01	WT6000 USB/Charging Cable. Allows To Communicate Via USB and Charge the Wearable Terminal. Requires Power Supply PWR-BUA5V16W0WW, DC Cable CBL-DC-	102.26
CBL-NGWT-HDV BAP-01	WT6000 Vibrating Cable. Connects Directly To The Wearable Terminal And Provides	102.26
CBL-NGWT-AUQDLG-02	WT6000 HEADSET ADAPTER CABLE (LONG VERSION). SUPPORTS HEADSETS WITH QUICK-DISCONNECT CONNECTOR. RECOMMENDED FOR VOICE DIRECTED PICKING (VDP) APPLICATIONS WHILE THE	89.99
CBL-NGWT-AUQDST-02	WT6000 HEADSET ADAPTER CABLE (SHORT VERSION). SUPPORTS HEADSETS WITH QUICK-DISCONNECT CONNECTOR. RECOMMENDED FOR VOICE DIRECTED PICKING (VDP)	69.54
Compatible Parts List For Model:WT6000 : Charging		
CBL-DC-383A1-01	DC Line Cord for running single slot cradles orcharging cables from a single Level VI power supplyPWR-BUA5V16W0WW, Level	6.54
CBL-DC-388A1-01	DC Line Cord for running the single slot cradles or battery chargers from a single Level VI power supplyPWR-	7.36
PWR-BGA12V108W0WW	Level VI AC/DC Power Supply Brick. AC Input: 100-240V, 2.8A. DC Output: 12V, 9A, 108W. Requires: DC line cord and Country	85.90
PWR-BUA5V16W0WW	Level VI AC/DC Power Supply Brick AC Input: 100-240V, 0.6A DC Output: 5.4V, 3A, 16WRequires: DC line cord and Country	31.09
PWR-BGA12V50W0WW	Level VI AC/DC Power Supply Brick. AC Input: 100-240V, 2.4A. DC Output: 12V, 4.16A, 50W. Requires: DC line cord and	40.09
CBL-DC-382A1-01	DC line cord for running multi-slot cradles from a single LEVEL VI Power Supply PWR-BGA12V108W0WW, LEVEL VI replacement	21.27
BTRY-NWTRS-33MA-02	WT6000/RS6000 PowerPrecision+ Lithium	98.17
SAC-NWTRS-20SCH-01	WT6000/RS6000 20Slot Spare Battery Charger, Allows To Charge 20 Batteries For Wearable Terminal or Ring Scanner. Requires PWR-BGA12V108W0WW, DC line	1304.87
SAC-NWTRS-4SCH-01	WT6000/RS6000 4Slot Spare Battery Charger, Allows To Charge 4 Spare Batteries For Wearable Terminal Or Ring Scanner. Requires PWR-BGA12V50W0WW, DC cable	298.61
BTRY-NGWT-50MA-01	WT6000 EXTENDED BATTERY, POWERPRECISION+ LITHIUM ION, 5000	122.72
Compatible Parts List For Model:WT6000 : Cradles		

25-124330-01R	Micro USB Active-sync Cable. Allows for active-sync connectivity between the mobile computer single or two slot cradle and a host	8.18
CRD-NGWT-5S5BC-01	WT6000 5Slot Charge Only Sharecradle W/Spare Battery Charger, Allows To Charge 5 Terminals And 5 Spare Batteries. Requires PWR-BGA12V108W0WW, DC line cord CBL-	814.01
CRD-NGWT-1S1BU-01	WT6000 Single Slot Charge/Usb Sharecradle, Allows To Charge 1 Wearable Terminal And 1 Spare Battery. Requires PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-	241.34
CRD-NWTRS-10SCH-01	WT6000 10Slot Charge Only Sharecradle, Allows To Charge 10 Wearable Terminals. Requires PWR-BGA12V108W0WW, DC line cord CBL-DC-382A1-01 and 3-wire grounded	814.01
CRD-NWTRS-2SUCH-01	WT6000/RS6000 Two Slot Charge/USB Sharecradle, Allows To Charge 1 Wearable Terminal And 1 Ring Scanner. Requires PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-	241.34
CRD-NGWT-10SCH-01	WT6000 10Slot Charge Only Sharecradle, Allows To Charge 10 Wearable Terminals. Requires PWR-BGA12V108W0WW, DC line cord CBL-DC-382A1-01 and 3-wire grounded	814.01
CRD-NGWT-5S5BE-01	WT6000 5Slot Ethernet Sharecradle W/Batt Charger, Allows To Charge 5 Terminals, 5 Batteries And Allows Ethernet Comm. Requires PWR-BGA12V108W0WW, DC line	1206.70
Compatible Parts List For Model:WT6000 : Demo Kits		
WT6K-RS4K-DEMO-WW	Demo Kit: Wearable terminal WT60A0-TS0LEWR, Android L, 1GB RAM, 4GB Flash, corded 1D ring scanner RS4000-HPCSWR, wrist mount, 3350mAh spare battery, single	3712.54
WT6K-RS6K-DEMO-WW	Demo Kit: Wearable terminal WT60A0-TS0LEWR, Android L, 1GB RAM, 4GB Flash, Bluetooth 2D ring scanner RS60B0-SRSTWR, wrist mount, 3350mAh spare	3872.07
WT6K-RS6K-DEMO-US	Demo Kit: Wearable terminal WT60A0-TS0LEUS, Android L, 1GB RAM, 4GB Flash, Bluetooth 2D ring scanner RS60B0-SRSTWR, wrist mount, 3350mAh spare	3872.07
WT6K-RS5K-DEMO-WW	Demo Kit: Wearable terminal WT60A0-TS0LEWR, Android L, 1GB RAM, 4GB Flash, corded 1D ring scanner RS5000-LCFSWR, wrist mount, 3350mAh spare battery, single	3786.17
WT6K-RS5K-DEMO-US	Demo Kit: Wearable terminal WT60A0-TS0LEUS, Android L, 1GB RAM, 4GB Flash, corded 1D ring scanner RS5000-LCFSWR, wrist mount, 3350mAh spare battery, single	3786.17
Compatible Parts List For Model:WT6000 : Line Cords Grounded		

50-16000-220R	AC Line Cord, 1.8M, grounded, three wire CEE 7/7 plug. Associated Countries: Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea,	8.18
23844-00-00R	AC Line Cord, 7.5 feet long, grounded, three wire. Associated Country: US	8.18
50-16000-217R	AC Line Cord, 1.9M, grounded, three wire, AS 3112 plug. Associated Country: Australia,	8.18
50-16000-219R	AC Line Cord, 1.8M, three wire, grounded BS1363 plug. Associated Countries: United Kingdom, Hong Kong, Cyprus, Ireland, Malta,	12.27
50-16000-671R	AC Line Cord, 1.8M grounded, CIE 23-16 plug. Associated Country: Italy	12.27
50-16000-256R	AC Line Cord, 1.8M, grounded, three wire, CEE7/7 plug. Associated Country: Korea	8.18
50-16000-672R	AC Line Cord, 1.9M grounded, three wire, S132 Plug. Associated Country: Israel	20.45
50-16000-669R	AC Line Cord, 1.9 M grounded, three wire, BS 546 Plug. Associated Country: India	12.27
50-16000-727R	AC Line Cord, 1.9M grounded, three wire.	12.27
50-16000-257R	AC Line Cord, 1.8M, grounded, three wire, IEC 60320 C13 plug. Associated Country:	8.18
50-16000-218R	AC Line Cord, 1.8M, grounded, three wire, NEMA 1-15P plug. Associated Country:	8.18
Compatible Parts List For Model:WT6000 : Line Cords Un-Grounded		
50-16000-666R	AC Line Cord, 1.8M un-grounded, two wire AS 3112 plug. Associated Countries:	8.18
50-16000-670R	AC Line Cord, 1.8 M ungrounded, two wire, BS 1363 Plug. Associated Countries: Bermuda, Hong Kong, Iraq, Malaysia,	12.27
50-16000-664R	AC Line Cord, 1.8M un-grounded, two wire, GB 2099-1-1996 plug. Associated Country:	8.18
50-16000-182R	AC line cord, 1.8M un-grounded, two wire. Associated Countries: United States	4.09
50-16000-255R	AC Line Cord, 1.8M un-grounded, two wire, CEE7/16. Associated Countries: Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea,	4.91
Compatible Parts List For Model:WT6000 : Miscellaneous		
MISC-WT6X-SCRN-01	WT6000 Screen Protectors- Pack of 5 units	45.00
Compatible Parts List For Model:WT6000 : Mounting Hardware		
BRKT-SCRD-SMRK-01	Rack/Wall Bracket, allows to install any multi-slot Sharecradle on a wall or a 19inch IT rack. Provides a holder for pwrs and cords. Also allows to install up to four 4-Slot Spare	130.90
Compatible Parts List For Model:WT6000 : Service Contracts Recommended -For List of All Service Contracts, go to the Respective Service Model		
Z1AE-WT6XXX-5500	5 YEAR(S) ZEBRA ONECARE ESSENTIAL, 3 DAY TAT, FOR WT6XXX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND REFRESH FOR	799.09

Z1AS-WT6XXX-5503	5 YEAR(S) ZEBRA ONECARE SELECT, ADVANCED REPLACEMENT, FOR WT6XXX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND REFRESH FOR STANDARD BATTERY.	961.49
Z1AS-WT6XXX-3C03	3 year zebra onecare select. includes comprehensive coverage. does not include coverage for ring scanner or cradle. requires	489.78
Z1AE-WT6XXX-5C00	5 YEAR ZEBRA ONECARE ESSENTIAL.	653.37
Z1AE-WT6XXX-3C00	3 YEAR ZEBRA ONECARE ESSENTIAL.	392.02
Z1AE-WT6XXX-3100	Z1AEWT6XXX3100 3 YEAR(S) ZEBRA ONECARE ESSENTIAL, 3 DAY TAT, FOR WT6XXX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND	487.85
Compatible Parts List For Model:WT6000 : Soft Goods		
SG-NGWT-WRMTL-01	WT6000 Wrist Mount With Medium/Large Strap. Allows To Use The Wearable Terminal	102.26
SG-NGWT-WRMTS-01	WT6000 Wrist Mount With Small/Medium Strap. Allows To Use The Wearable Terminal	102.26
SG-NGWT-CMPD-02	WT6000 REPLACEMENT COMFORT PAD	16.36
SG-NGWT-WSTPST-01	WT6000 Replacement Small/Medium Spare	61.36
SG-NGWT-CMPD-01	WT6000 Replacement Comfort Pad For Wrist	16.36
SG-NGWT-WSTPLN-01	WT6000 Replacement Medium/Large Spare	61.36
SG-NGWT-WRMTXL-01	WT6000 Wrist Mount With Extra Large Strap. Allows Use of the Wearable Terminal on the	122.72
SG-NGWT-WSTPXL-01	WT6000 Replacement Extra Large Spare	77.72
SG-NGWT-HPMNT-01	WT6000 HIP MOUNT, ALLOWS TO USE THE WEARABLE TERMINAL ON A BELT.	61.36
SG-NGWT-WRMTL-02	WT6000 WRIST MOUNT WITH MEDIUM/LARGE STRAP. ALLOWS TO USE	102.26
SG-NGWT-WRMTS-02	WT6000 WRIST MOUNT WITH SMALL/MEDIUM STRAP. ALLOWS TO USE	102.26
Compatible Parts List For Model:WT6000 : Standard Configurations		
WT60A0-TS0LEUS	WT6000 wearable terminal, capacitive touch display, Android Lollipop 5.1, WLAN 802.11 a/b/g/n ac, 3350mAh standard battery, 1GB	2450.21
WT60A0-TS2NEWR	WEARABLE TERMINAL, CAPACITIVE TOUCH DISPLAY, ANDROID NOUGAT 7, 802.11 A/B/G/N AC, 3350 MAH STD	2450.21
WT60A0-TS2NEUS	WT6000 WEARABLE TERMINAL, CAPACITIVE TOUCH DISPLAY, ANDROID NOUGAT 7, 802.11 A/B/G/N AC, 3350 MAH	2450.21
WT60A0-TX0LEUS	WT6000 WEARABLE TERMINAL, CAPACITIVE TOUCH DISPLAY, ANDROID LOLLIPOP 5, 802.11 A/B/G/N AC, 5000 MAH	2474.75
WT60A0-TX0LEWR	WT6000 WEARABLE TERMINAL, CAPACITIVE TOUCH DISPLAY, ANDROID LOLLIPOP 5, 802.11 A/B/G/N AC, 5000 MAH	2474.75
WT60A0-TX2NEWR	WT6000 WEARABLE TERMINAL, CAPACITIVE TOUCH DISPLAY, ANDROID NOUGAT 7, 802.11 A/B/G/N AC, 5000 MAH	2474.75

WT60A0-TX2NEUS	WT6000 WEARABLE TERMINAL, CAPACITIVE TOUCH DISPLAY, ANDROID NOUGAT 7, 802.11 A/B/G/N AC, 5000 MAH	2474.75
WT60A0-TS0LEWR	WT6000 wearable terminal, capacitive touch display, Android Lollipop 5.1, WLAN 802.11 a/b/g/n ac, 3350mAh standard battery, 1GB	2450.21
Compatible Parts List For Model:WT6000 : Voice-Related Accessories		
RCH51	Rugged Cabled headset	216.80
CBL-NGWT-AUQDLG-01	WT6000 Headset Adapter Cable Long Version. Supports Headsets With Quick- Disconnect Connector. Recommended For Voice Directed Picking Vdp Applications	89.99
CBL-NGWT-AUQDST-01	WT6000 Headset Adapter Cable Short Version. Supports Headsets With Quick- Disconnect Connector. Recommended For Voice Directed Picking Vdp Applications	69.54
25-129938-02R	RCH50/RCH51 training cable - Y Cable to connect two RCH50/RCH51 headsets to one	57.27